


IBC[®] 艾比斯精密軸承

IBC BEARING




雙列角接觸球軸承研發基地

RESEARCH AND DEVELOPMENT BASE OF DOUBLE ROW ANGULAR CONTACT BALL BEARINGS



轴承型号 Bearing No.			外形尺寸Dimensions(mm)			额定负荷 (KN)		重量
开式基型	防尘型	密封型	d	D	B	Cr	Cor	Mass(kg)
5200	5200-2Z	5200-2RS	10	30	14.3	7.0	3.8	0.049
5201	5201-2Z	5201-2RS	12	32	15.9	9.2	5.1	0.057
5202	5202-2Z	5202-2RS	15	35	15.9	10.0	6.1	0.064
5203	5203-2Z	5203-2RS	17	40	17.5	12.8	7.9	0.096
5204	5204-2Z	5204-2RS	20	47	20.6	19.0	12.1	0.153
5205	5205-2Z	5205-2RS	25	52	20.6	20.6	14.3	0.175
5206	5206-2Z	5206-2RS	30	62	23.8	28.6	20.4	0.286
5207	5207-2Z	5207-2RS	35	72	27	38.0	27.8	0.436
5208	5208-2Z	5208-2RS	40	80	30.2	42.5	32.5	0.590
5209	5209-2Z	5209-2RS	45	85	30.2	48.0	37.0	0.640
5210	5210-2Z	5210-2RS	50	90	30.2	51.0	42.0	0.689
5211	5211-2Z	5211-2RS	55	100	33.3	63.0	53.0	0.986
5212	5212-2Z	5212-2RS	60	110	36.5	71.5	58.5	1.270
5213	5213-2Z	5213-2RS	65	120	38.1	83.5	72.5	1.570
5214	5214-2Z	5214-2RS	70	125	39.7	87.5	79.5	1.800
5215	5215-2Z	5215-2RS	75	130	41.3	90.0	80.5	1.900
5216	5216-2Z	5216-2RS	80	140	44.4	106	95.5	2.390
5217	5217-2Z	5217-2RS	85	150	49.2	112	106	3.060
5218	5218-2Z	5218-2RS	90	160	52.4	140	129	3.730
5219	5219-2Z	5219-2RS	95	170	55.6	163	184	5.100
5220	5220-2Z	5220-2RS	100	180	60.3	210	240	6.140
5300	5300-2Z	5300-2RS	10	35	19	9.2	5.1	0.092
5301	5301-2Z	5301-2RS	12	37	19	10.0	6.1	0.109
5302	5302-2Z	5302-2RS	15	42	19	12.8	7.9	0.132
5303	5303-2Z	5303-2RS	17	47	22.2	20.4	12.1	0.181
5304	5304-2Z	5304-2RS	20	52	22.2	20.6	12.7	0.227
5305	5305-2Z	5305-2RS	25	62	25.4	30.5	20.5	0.362
5306	5306-2Z	5306-2RS	30	72	30.2	39.5	27.5	0.553
5307	5307-2Z	5307-2RS	35	80	34.9	49.5	35.0	0.766
5308	5308-2Z	5308-2RS	40	90	36.5	60.5	44.0	1.010
5309	5309-2Z	5309-2RS	45	100	39.7	72.5	54.0	1.340
5310	5310-2Z	5310-2RS	50	110	44.4	85.5	64.5	1.810
5311	5311-2Z	5311-2RS	55	120	49.2	106	82.0	2.320
5312	5312-2Z	5312-2RS	60	130	54	122	95.5	3.050
5313	5313-2Z	5313-2RS	65	140	58.7	138	109	3.960
5314	5314-2Z	5314-2RS	70	150	63.5	155	125	4.740
5315	5315-2Z	5315-2RS	75	160	68.3	168	141	5.650
5316	5316-2Z	5316-2RS	80	170	68.3	175	151	7.210
5317	5317-2Z	5317-2RS	85	180	73	196	240	8.300
5318	5318-2Z	5318-2RS	90	190	73	225	266	9.015

双列角接触球轴承 DOUBLE ROW ANGULAR CONTACT BALL BEARINGS



型号 Designation			基本尺寸(mm) Principal Dimensions			额定负荷(KN) Rated Load		极限转速(rpm) Limiting Speed		重量 Mass(Kg)
			d	D	B	动负荷 Dynamic	静负荷 Static	脂润滑 Grease	油润滑 Oil	
3800	3800-2Z	3800-2RS	10	19	7	2.58	1.56	22000	30000	0.015
3900	3900-2Z	3900-2RS		22	10	4.08	2.36	21000	29000	0.022
3000	3000-2Z	3000-2RS		26	12	5.5	3.2	18000	23000	0.022
3801	3801-2Z	3801-2RS	12	21	7	2.89	1.92	20000	27000	0.018
3901	3901-2Z	3901-2RS		24	10	4.36	2.72	19000	26000	0.026
3001	3001-2Z	3001-2RS		28	12	6.1	3.7	17000	22000	0.025
3802	3802-2Z	3802-2RS	15	24	7	3.09	2.31	17000	24000	0.022
3902	3902-2Z	3902-2RS		28	10	4.55	3.12	16000	—	0.024
3002	3002-2Z	3002-2RS		32	13	8.5	5.4	14500	18000	0.036
3803	3803-2Z	3803-2RS	17	26	7	3.17	2.52	15000	22000	0.24
3903	3903-2Z	3903-2RS		30	10	4.99	3.79	14000	21000	0.027
3003	3003-2Z	3003-2RS		35	14	9.0	6.0	12500	16000	0.042
3804	3804-2Z	3804-2RS	20	32	10	4.9	3.9	—	14300	0.020
3904	3904-2Z	3904-2RS		37	13	9.3	6.6	12000	13200	0.046
3004	3004-2Z	3004-2RS		42	16	14.2	9.6	11000	13000	0.080
3805	3805-2Z	3805-2RS	25	37	10	5.5	4.9	11500	12700	0.025
3905	3905-2Z	3905-2RS		42	13	9.6	7.5	11000	12300	0.062
3005	3005-2Z	3005-2RS		47	16	15.2	11.0	9500	12000	0.100
3806	3806-2Z	3806-2RS	30	42	10	5.7	5.6	10000	11500	0.030
3906	3906-2Z	3906-2RS		47	13	9.9	8.3	9500	10500	0.095
3006	3006-2Z	3006-2RS		55	19	20.3	15.5	8000	10000	0.160
3807	3807-2Z	3807-2RS	35	47	10	6.1	6.2	8500	10000	0.035
3907	3907-2Z	3907-2RS		55	15	12.9	11.3	8000	9500	0.138
3007	3007-2Z	3007-2RS		62	20	24.2	20.4	6500	8500	0.240
3808	3808-2Z	3808-2RS	40	52	10	6.4	6.9	7000	8500	0.040
3908	3908-2Z	3908-2RS		62	16	17.4	15.8	6500	8000	0.158
3008	3008-2Z	3008-2RS		68	21	24.5	20.8	6000	7800	0.279

型号 Designation			基本尺寸(mm) Principal Dimensions			额定负荷(KN) Rated Load		极限转速(rpm) Limiting Speed		重量 Mass(Kg)
			d	D	B	动负荷 Dynamic	静负荷 Static	脂润滑 Grease	油润滑 Oil	
3809	3809-2Z	3809-2RS	45	58	10	6.7	7.7	6300	7000	0.055
3909	3909-2Z	3909-2RS		68	16	17.9	17.2	6000	6800	0.183
3009	3009-2Z	3009-2RS		75	23	39.3	36.4	5600	6200	0.364
3810	3810-2Z	3810-2RS	50	65	12	7.0	8.4	6000	7500	0.075
3910	3910-2Z	3910-2RS		72	16	19.1	19.6	5800	7200	0.189
3010	3010-2Z	3010-2RS		80	23	42.3	41.9	5300	6600	0.395
3811	3811-2Z	3811-2RS	55	72	13	12.8	15.4	5500	6500	0.010
3911	3911-2Z	3911-2RS		80	19	20.0	21.7	5300	6200	0.282
3011	3011-2Z	3011-2RS		90	26	43.7	44.7	4800	5800	0.581
3812	3812-2Z	3812-2RS	60	78	14	13.6	16.2	5000	5500	0.140
3912	3912-2Z	3912-2RS		85	19	21.0	23.8	4800	5300	0.303
3012	3012-2Z	3012-2RS		95	26	47.2	53.4	4400	5000	0.621
3813	3813-2Z	3813-2RS	65	85	15	15.1	18.3	4700	5200	0.182
3913	3913-2Z	3913-2RS		90	19	21.4	24.8	4500	5000	0.324
3013	3013-2Z	3013-2RS		100	26	49.5	59.2	4000	4800	0.661
3814	3814-2Z	3814-2RS	70	90	15	18.0	21.9	4400	4800	0.190
3914	3914-2Z	3914-2RS		100	23	25.8	30.0	4000	4600	0.516
3014	3014-2Z	3014-2RS		110	30	54.2	58.9	3600	4400	0.950
3815	3815-2Z	3815-2RS	75	95	15	16.0	20.3	4200	4700	0.224
3915	3915-2Z	3915-2RS		105	23	26.0	31.3	3800	4300	0.546
3015	3015-2Z	3015-2RS		115	30	57.7	66.5	3400	4000	1.003
3816	3816-2Z	3816-2RS	80	100	15	16.5	21.7	4000	4400	0.230
3916	3916-2Z	3916-2RS		110	23	26.7	32.5	3500	4000	0.576
3016	3016-2Z	3016-2RS		125	34	63.5	67.8	3100	3800	1.380
3817	3817-2Z	3817-2RS	85	110	19	22.0	28.7	3600	4000	0.407
3917	3917-2Z	3917-2RS		120	26	31.5	38.5	3300	3000	0.821
3017	3017-2Z	3017-2RS		130	34	68.3	77.5	2900	3600	1.447
3818	3818-2Z	3818-2RS	90	115	19	23.3	30.8	3300	3600	0.450
3918	3918-2Z	3918-2RS		125	26	32.1	40.1	3100	3400	0.861
3018	3018-2Z	3018-2RS		140	37	69.8	77.3	2700	3300	1.872
3819	3819-2Z	3819-2RS	95	120	19	23.6	31.8	3200	3500	0.501
3919	3919-2Z	3919-2RS		130	26	32.6	41.7	3000	3300	0.901
3019	3019-2Z	3019-2RS		145	37	72.4	82.9	2600	3100	1.954
3820	3820-2Z	3820-2RS	100	125	19	23.7	32.8	3100	3400	0.560
3920	3920-2Z	3920-2RS		140	30	37.9	48.5	2800	3200	1.270
3020	3020-2Z	3020-2RS		150	37	74.7	88.2	2500	2800	2.040